CLINICAL PRIVILEGES – FAMILY PRACTICE AND PRIMARY CARE PHYSICIANS

AUTHORITY: Title 10, U.S.C. Chapter 55, Sections 1094 and 1102.

PRINCIPAL PURPOSE: To define the scope and limits of practice for individual providers. Privileges are based on evaluation of the individual's credentials and performance. ROUTINE USE: Information on this form may be released to government boards or agencies, or to professional societies or organizations, if needed to license or monitor professional standards of health care providers. It may also be released to civilian medical institutions or organizations where the provider is applying for staff privileges during or after separating from the Air Force.

DISCLOSURE IS VOLUNTARY: However, failure to provide information may result in the limitation or termination of clinical privileges.

INSTRUCTIONS

APPLICANT: In Part I, enter Code 1, 2, or 4 in each REQUESTED block for every privilege listed. This is to reflect current capability and should not consider any known facility limitations. Sign and date the form. Forward the form to your Clinical Supervisor. (Make all entries in ink.)

<u>CLINICAL SUPERVISOR</u>: In Part I, using the facility master privileges list, enter Code 1, 2, 3, or 4 in each VERIFIED block in answer to each requested privilege. In Part II, check appropriate block either to recommend approval, to recommend approval with modification, or to recommend disapproval. Sign and date the form. Forward the form to the Credentials Function. (Make all entries in ink.)

CODES: 1. Fully competent within defined scope of practice. (Clinical oversight of some allied health providers is required as defined in AFI 44-119.)

- 2. Supervision required. (Unlicensed/uncertified or lacks current relevant clinical experience.)
- 3. Not approved due to lack of facility support. (Reference facility master privileges list.)
- 4. Not requested/not approved due to lack of expertise or proficiency, or due to physical disability or limitation.

CHANGES: Any change to a verified/approved privileges list must be mad e in accordance with AFI 44-119.

| NAME OF APPLICANT (Last, First, Middle Initial) | | NAME OF MEDICAL FACILITY | | | | | |
|---|----------|---|--------------------------------------|----------|--|--|--|
| I. LIST OF CLINICAL PRIVILEGES – FAMILY F | | | DRACTICE AND DRIMARY CARE DUVEICIANS | | | | |
| Requested | Verified | | Requested | Verified | | | |
| toquootou | Volliloa | A. CORE PRIVILEGES | rtoquoticu | Vollilou | (3) Complicated pediatric problems (continued) | | |
| | | 1. OUTPATIENT | | | | | |
| | | a. Pediatrics | | | (a) Serious infections (meningitis, pneumonia, septic arthritis, etc.) | | |
| | | (1) Well-child care | | | (b) Fluid and electrolyte problems | | |
| | | (2) Office pediatric problems | | | (c) Neonatal sepsis | | |
| | | b. Obstetrics | | | (d) Mild neonatal respiratory distress | | |
| | | (1) Uncomplicated prenatal care | | | (e) Status asthmaticus | | |
| | | (2) Threatened abortion | | | b. Obstetrics | | |
| | | (3) Complicated (high risk) prenatal outpatients | | | (1) Routine uncomplicated labor | | |
| | | with appropriate consultation from staff obstetrician | | | (2) Complicated obstetrical problems using appropriate consultation with staff obstetricians when clinically indicated | | |
| | | c. Gynecology | | | obstantians when similarly maisated | | |
| | | (1) Office gynecologic care | | | (a) Preeclampsia and eclampsia | | |
| | | d. Internal Medicine and Medicine Subspecialties | | | (b) Chronic hypertension | | |
| | | (1) Office adult internal medicine | | | (c) Premature labor | | |
| | | (2) Office neurologic problems | | | (d) Premature rupture of membranes | | |
| | | (3) Office dermatologic problems not including | | | (e) Prolapsed umbilical cord | | |
| | | psoriasis, actinic keratoses, or malignant skin tumors | | | (f) Fetal distress syndrome | | |
| | | SKIII TUITIOIS | | | (g) Arrest of labor | | |
| | | (4) Uncomplicated psoriasis and actinic keratosis | | | (h) Postpartum hemorrhage | | |
| | | e. Surgery and Surgical Subspecialties | | | (i) Postpartum endometritis | | |
| | | (1) Office orthopedic problems | | | (j) Third trimester bleeding | | |
| | | (2) Office otorhinolaryngologic problems | | | (k) Hyperemesis gravidarum | | |
| | | (3) Office ophthalmologic problems not including | | | (I) Pyelonephritis and other UTIs | | |
| | | iritis and glaucoma | | | (m) Amnionitis | | |
| | | f. Behavioral Health | | | (n) Intrauterine fetal death | | |
| | | (4) Office helpyingal problems including arisis | | | c. Gynecology | | |
| | | (1) Office behavioral problems, including crisis intervention and short-term individual, family, and marital counseling | | | (1) Complicated inpatient gynecologic problems using appropriate consultation with staff gynecologists when clinically indicated | | |
| | | 2. INPATIENT | | | g, g c y g | | |
| | | a. Pediatrics | | | (a) Acute pelvic inflammatory disease | | |
| | 1 | (1) Uncomplicated inpatient pediatric problems | | | (b) Incomplete abortion | | |
| | | (2) Routine care of the newborn | | | d. Internal Medicine and Medicine Subspecialties | | |
| | | (3) Complicated pediatric problems using appropriate consultation with staff pedicatricians when clinically indicated | | | (1) Uncomplicated adult internal medicine problems, not including ICU or CCU care | | |
| | | | | | (2) Uncomplicated inpatient neurologic problems | | |

| I. LIST OF CLINICAL PRIVILEGES – FAMILY PRACTICE AND PRIMARY CARE PHYSICIANS (Continued) | | | | | | |
|--|-----------|--|-----------|----------|--|--|
| Requested | Verified | | Requested | Verified | | |
| | | d. Internal Medicine and Medicine Subspecialties | | | b. Dermatology (continued) | |
| | | (continued) | | | (2) Simple laceration repair | |
| | | (3) Complicated adult internal medicine problems | | | (3) Simple abscess incision and drainage | |
| | | using appropriate consultation when clinically indicated: | | | (4) Excision of skin and subcutaneous lesions | |
| | | (a) A suite muse and led inferration mat | | | felt to be non-malignant | |
| | | (a) Acute myocardial infarction not accompanied by serious cardiac | | | (5) Evaluian of akin tumova falt to be maligned | |
| | | decompensation or serious arrhythmia | | | (5) Excision of skin tumors felt to be malignant (basal cell carcinoma, squamous cell | |
| | | | | | carcinoma) | |
| | | (b) Congestive heart failure | | | c. Internal Medicine | |
| | | (c) Diabetic ketoacidosis | | | (1) Lumbar puncture | |
| | | (d) Serious fluid and electrolyte abnormalities | | | (2) Thoracentesis | |
| | | (e) Status asthmaticus | | | (3) Sigmoidoscopy with biopsy | |
| | | (f) Acute gastrointestinal bleeding | | | (4) Bone marrow aspiration and biopsy | |
| | | (g) Chronic obstructive pulmonary disease with respiratory decompensation not requiring ventilator support | | | (5) Stress electrocardiography (treadmill) | |
| | | | | | d. Pediatrics | |
| | İ | | | | (1) Suprapubic bladder aspiration | |
| | | | | | (2) Neonatal circumcision | |
| | | (h) Serious infections (meningitis, pneumonia, sepsis, etc.) | | | (3) Umbilical artery catheterization | |
| | | (i) Undiagnosed anemias | | | (4) Umbilical vein catheterization | |
| | | (j) Uremia | | | (5) Intubation | |
| | | (k) Severe drug overdose | | | e. Surgical and Surgical Subspecialties | |
| | | (I) Alcohol withdrawal syndromes | | | (1) Bladder catheterization | |
| | | (m) Bleeding and coagulation disorders | | | (2) Removal of ocular foreign body | |
| | | (n) Blood dyscrasias | | | (3) Removal of occura foreign body | |
| | | · · · | | | ., | |
| | | (o) Hypertensive crises | | | (4) Vasectomy | |
| | | (4) Complicated adult neurologic problems with appropriate consultation with staff | | | (5) Arthrocentesis | |
| | | neurologists when clinically indicated | | | (6) Closed reduction of simple fractures and dislocations | |
| | | (a) Status epilepticus | | | f. Obstetrics | |
| | | (b) Cerebrovascular accident (CVA) | | | | |
| | | (c) Coma of undetermined etiology | 1 | | (1) Routine vaginal delivery without the use of forceps or vacuum | |
| | | e. Surgery and Surgical Subspecialties | | | (2) Manual extraction of the placenta | |
| | | | | | (3) Outlet vacuum delivery | |
| | | (1) Uncomplicated musculoskeletal problems (muscle spasms, strains, back pain, etc.) | | | (4) Induction of labor | |
| | | (massic spacins, calains, austripain, etc.) | | | (5) Limited obstetric ultrasound (fetal position, | |
| | | (2) Uncomplicated urologic problems (epidydimitis, prostatitis, pyelonephritis, bleeding and other complications of vasectomy) | | | fetal cardiac activity, etc.) | |
| | | | | | g. Gynecology | |
| | | | | | (1) Perform Papanicolaou (Pap) smears | |
| | | | | | (2) Endometrial biopsy | |
| | [| (3) Management of spontaneous pneumothorax without serious respiratory compromise with | | | (3) Cervical biopsy | |
| | | appropriate consultation with a general or throracic surgeon when clinically indicated | | | (4) Intrauterine device (IUD) insertion/removal | |
| | | (4) First assist at major surgical procedures | | | B. SUPPLEMENTAL PRIVILEGES | |
| | | 3. PROCEDURES | | | 1. OUTPATIENT | |
| | | a. Emergency | | | a. Other (Specify) | |
| | | (1) Basic life support (BLS) | 1 | | | |
| | | (2) Advanced cardiac life support (ACLS) | | | 2. INPATIENT | |
| | | (3) Crycothyroidotomy | | | a. Other (Specify) | |
| | | (4) Tube thoracostomy (chest tube) | | | | |
| | | (5) Endotracheal intubation | | | 3. PROCEDURES | |
| | | (6) Central venipuncture and catheterization | | | a. Emergency | |
| | | (7) Insertion of arterial line | | | (1) Venous cutdown | |
| | | (8) Cardioversion of life threatening arrhythmia | | | (2) Tracheostomy | |
| | | b. Dermatology (1) Punch biopsy | 1 | | (3) Other (Specify) | |
| AF FORM 28 | 16 200205 | | | <u> </u> | PAGE 2 OF 3 PAGES | |

| I. LIST OF CLINICAL PRIVILEGES – FAMILY PRACTICE AND PRIMARY CARE PHYSICIANS (Continued) | | | | | | | | |
|--|----------|---------------------------------|---|----------------|----------|--|-----------|--|
| Requested | Verified | | | Requested | Verified | | | |
| | | 3. PROCEDURES | (continued) | | | 3. PROCEDURES (c | ontinued) | |
| | | b. Dermatology | 1 | | | e. Obstetrics | | |
| | | than one | skin laceration involving more layer of closure | | | (1) Repair of cervical, vaginal, and fourth degree perineal lacerations following delivery | | |
| | | (2) Other <i>(S_I</i> | pecify) | | | (2) Low forceps delivery | | |
| | | c. Internal Med | icino | | | | - | |
| | | (1) Paracent | | | | (3) Other (Specify) | | |
| | | (2) Colonoso | юру | | | f. Gynecology | | |
| | | (3) Other (Sp | pecify) | | | (1) Colposcopy | | |
| | | | | | | (2) Cervical biopsy | | |
| | | d. Surgery and | Surgical Subspecialties | | | (3) Vaginal diaphragm fitting | | |
| | | (1) Nasolary | ngoscopy | | | (4) Other (Specify) | | |
| | | (2) Managen | nent of fingertip amputation | | | | | |
| | | (3) Posterior | | | | C. OTHER (Specify) | | |
| | | (4) Breast m | ass aspiration | | | 1. | | |
| | | (5) Other (Sp | | | | 2. | | |
| | | ., | • | | | 3. | | |
| SIGNATUR | RE OF AP | PLICANT | | | 1 | | DATE | |
| | | | | | | | | |
| | | | | | | | | |
| II. | | | CLINICAL SUPERVIS | OR'S RECOM | MENDAT | ION | | |
| (Specify below) (Specify below) | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| SIGNATUR | RE OF CL | INCAL SUPERVISOR | (Include typed, printed, or stamp | ed signature b | lock) | | DATE | |
| | | | | | | | | |